ELSEVIER

Neuroscience Letters 280 (2000) 228–231

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 280

Abdullah, L., see Crawford, F., 215
Abe, S., see Hori, T., 53
Addicks, K., see Hess, A., 147
Alafuzoff, I., see Tapiola, T., 119
Alberts, G.L., Pregenzer, J.F., Im, W.B., Slightom, J.L., Cloning of serotonin 5-HT_1 receptor subtypes from the chimpanzee, gorilla and Rhesus monkey and their agonist-induced guanosine 5′γ^{35}S triphosphate binding, 223
Alho, K., see Kropotov, J.D., 87
Ambrogi Lorenzini, C., see Baldi, E., 91
Anguelova, E., Smirnova, T., Differential expression of small heat shock protein 27 in the rat hippocampus and septum after fimbria-fornix lesion, 99
Anichkov, A.D., see Kropotov, J.D., 87
Arranz, M.J., see Bolonna, A.A., 65
Ase, A.R., see Reader, T.A., 171
Atobe, Y., see Funakoshi, K., 115

Baba, A., see Hori, T., 53
Bakhiet, M., see Nordlind, K., 139
Baldi, E., Ambrogi Lorenzini, C., Sacchetti, B., Tassoni, G., Bucherelli, C., Effects of coupled perirhinal cortex and medial septal area, fimbria-fornix, entorhinal cortex tetrodotoxin inactivations on passive avoidance consolidation in the rat, 91
Bao, J., see Kline, A.E., 163
Barnett, N.L., see Pow, D.V., 21
Bengoetxea, A., see Dan, B., 175
Beňušková, L., The intra-spine electric force can drive vesicles for fusion: a theoretical model for long-term potentiation, 17
Betti, L., see Giannaccini, G., 37
Betz, H., see Wittekindt, B., 151
Beu, M., see Mottaghy, F.M., 167
Bistocchi, M., see Giannaccini, G., 37
Bloch, W., see Hess, A., 147
Bodineau, L., Frugière, A., Marlot, D., Wallois, F., Connections between retrotrapezoid nucleus and nucleus tractus solitarii in cat, 111
Bolonna, A.A., Arranz, M.J., Munro, J., Osborne, S., Petouni, M., Martinez, M., Kerwin,. R.W., No influence of adrenergic receptor polymorphisms on schizophrenia and antipsychotic response, 65
Borlongan, C.V., see Poulos, S.G., 33
Borosky, S.A., see Dooley, D.J., 107
Bouillot, E., see Dan, B., 175
Bucherelli, C., see Baldi, E., 91
Bunai, Y., see Hara, A., 73
Bywood, P.T., Johnson, S.M., Loss of tyrosine hydroxylase immunoreactivity in dendrites is a sensitive index of kainic acid-induced damage in rat substantia nigra neurons in vivo, 5

Chen, L., see Glass, J.D., 207
Cheron, G., see Dan, B., 175
Chiaramello, A., see Uittenbogaard, M., 95
Christensen, J.C., Wang, Z., Rebec, G.V., γ-Aminobutyric acid infusion in substantia nigra pars reticulata in rats inhibits ascorbate release in ipsilateral striatum, 191
Crawford, F., Abdullah, L., Schinka, J., Suo, Z., Gold, M., Duara, R., Mullan, M., Gender-specific association of the angiotensin converting enzyme gene with Alzheimer's disease, 215

d'Alfonso, A.A.L., van Honk, J., Hermans, E., Postma, A., de Haan, E.H.F., Laterality effects in selective attention to threat after repetitive transcranial magnetic stimulation at the prefrontal cortex in female subjects, 195
Dan, B., Bouillot, E., Bengoetxea, A., Cheron, G., Effect of intrathecal baclofen on gait control in human hereditary spastic paraparesis
de Azevedo Marques, T., see Vargas, L.C., 45
de Haan, E.H.F., see d'Alfonso, A.A.L., 195
Deecke, L., see Dirnberger, G., 61
Demeneix, B., see Hadj-Sahraoui, N., 79
Dirnberger, G., Lalouschek, W., Lindinger, G., Egkher, A., Deecke, L., Lang, W., Reduced activation of midline frontal areas in human elderly subjects: a contingent negative variation study, 61
Dixon, C.E., see Kline, A.E., 163
Dooley, D.J., Mieske, C.A., Borosky, S.A., Inhibition of K^+-evoked glutamate release from rat neocortical and hippocampal slices by gabapentin, 107
Duara, R., see Crawford, F., 215

Ebisawa, T., Uchiyama, M., Kajimura, N., Kamei, Y., Shibui, K., Kim, K., Kudo, Y., Iwase, T., Sugishita, M., Jodoi, T., Ikeda, M., Ozeki, Y., Watanabe, T., Sekimoto, M., Katoh, M., Yamada, N., Toyoshima, R., Okawa, M., Takahashi, K., Yamauchi, T., Genetic polymorphisms of human melatonin 1b receptor gene in circadian rhythm sleep disorders and controls, 29
Egkher, A., see Dirnberger, G., 61
Eriksson, L., see Nordlind, K., 139

Fedorkova, L., see Glass, J.D., 207
Fell, J., see Tendolkar, I., 69
Ferré, S., see Terasmaa, A., 135
Finnman, U.-B., see Terasmaa, A., 135
Fromy, B., see Merzeau, S., 103
Frugière, A., see Bodineau, L., 111
Fua, Q., see Kamiya, A., 49
Fukushima, T., see Hashimoto, I., 25
Fukuyama, H., see Katsumi, Y., 9
Funakoshi, K., Kadota, T., Atobe, Y., Nakano, M., Goris, R.C., Kishida, R., Serotonin-immunoreactive axons in the cell column of sympathetic

PII: S0304-3940(00)00870-3

ELSEVIER

Neuroscience Letters 280 (2000) 228–231

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 280

Abdullah, L., see Crawford, F., 215
Abe, S., see Hori, T., 53
Addicks, K., see Hess, A., 147
Alafuzoff, I., see Tapiola, T., 119
Alberts, G.L., Pregenzer, J.F., Im, W.B., Slightom, J.L., Cloning of serotonin 5-HT_1 receptor subtypes from the chimpanzee, gorilla and Rhesus monkey and their agonist-induced guanosine 5′γ^{35}S triphosphate binding, 223
Alho, K., see Kropotov, J.D., 87
Ambrogi Lorenzini, C., see Baldi, E., 91
Anguelova, E., Smirnova, T., Differential expression of small heat shock protein 27 in the rat hippocampus and septum after fimbria-fornix lesion, 99
Anichkov, A.D., see Kropotov, J.D., 87
Arranz, M.J., see Bolonna, A.A., 65
Ase, A.R., see Reader, T.A., 171
Atobe, Y., see Funakoshi, K., 115

Baba, A., see Hori, T., 53
Bakhiet, M., see Nordlind, K., 139
Baldi, E., Ambrogi Lorenzini, C., Sacchetti, B., Tassoni, G., Bucherelli, C., Effects of coupled perirhinal cortex and medial septal area, fimbria-fornix, entorhinal cortex tetrodotoxin inactivations on passive avoidance consolidation in the rat, 91
Bao, J., see Kline, A.E., 163
Barnett, N.L., see Pow, D.V., 21
Bengoetxea, A., see Dan, B., 175
Beňušková, L., The intra-spine electric force can drive vesicles for fusion: a theoretical model for long-term potentiation, 17
Betti, L., see Giannaccini, G., 37
Betz, H., see Wittekindt, B., 151
Beu, M., see Mottaghy, F.M., 167
Bistocchi, M., see Giannaccini, G., 37
Bloch, W., see Hess, A., 147
Bodineau, L., Frugière, A., Marlot, D., Wallois, F., Connections between retrotrapezoid nucleus and nucleus tractus solitarii in cat, 111
Bolonna, A.A., Arranz, M.J., Munro, J., Osborne, S., Petouni, M., Martinez, M., Kerwin,. R.W., No influence of adrenergic receptor polymorphisms on schizophrenia and antipsychotic response, 65
Borlongan, C.V., see Poulos, S.G., 33
Borosky, S.A., see Dooley, D.J., 107
Bouillot, E., see Dan, B., 175
Bucherelli, C., see Baldi, E., 91
Bunai, Y., see Hara, A., 73
Bywood, P.T., Johnson, S.M., Loss of tyrosine hydroxylase immunoreactivity in dendrites is a sensitive index of kainic acid-induced damage in rat substantia nigra neurons in vivo, 5

Chen, L., see Glass, J.D., 207
Cheron, G., see Dan, B., 175
Chiaramello, A., see Uittenbogaard, M., 95
Christensen, J.C., Wang, Z., Rebec, G.V., γ-Aminobutyric acid infusion in substantia nigra pars reticulata in rats inhibits ascorbate release in ipsilateral striatum, 191
Crawford, F., Abdullah, L., Schinka, J., Suo, Z., Gold, M., Duara, R., Mullan, M., Gender-specific association of the angiotensin converting enzyme gene with Alzheimer's disease, 215

d'Alfonso, A.A.L., van Honk, J., Hermans, E., Postma, A., de Haan, E.H.F., Laterality effects in selective attention to threat after repetitive transcranial magnetic stimulation at the prefrontal cortex in female subjects, 195
Dan, B., Bouillot, E., Bengoetxea, A., Cheron, G., Effect of intrathecal baclofen on gait control in human hereditary spastic paraparesis
de Azevedo Marques, T., see Vargas, L.C., 45
de Haan, E.H.F., see d'Alfonso, A.A.L., 195
Deecke, L., see Dirnberger, G., 61
Demeneix, B., see Hadj-Sahraoui, N., 79
Dirnberger, G., Lalouschek, W., Lindinger, G., Egkher, A., Deecke, L., Lang, W., Reduced activation of midline frontal areas in human elderly subjects: a contingent negative variation study, 61
Dixon, C.E., see Kline, A.E., 163
Dooley, D.J., Mieske, C.A., Borosky, S.A., Inhibition of K^+-evoked glutamate release from rat neocortical and hippocampal slices by gabapentin, 107
Duara, R., see Crawford, F., 215

Ebisawa, T., Uchiyama, M., Kajimura, N., Kamei, Y., Shibui, K., Kim, K., Kudo, Y., Iwase, T., Sugishita, M., Jodoi, T., Ikeda, M., Ozeki, Y., Watanabe, T., Sekimoto, M., Katoh, M., Yamada, N., Toyoshima, R., Okawa, M., Takahashi, K., Yamauchi, T., Genetic polymorphisms of human melatonin 1b receptor gene in circadian rhythm sleep disorders and controls, 29
Egkher, A., see Dirnberger, G., 61
Eriksson, L., see Nordlind, K., 139

Fedorkova, L., see Glass, J.D., 207
Fell, J., see Tendolkar, I., 69
Ferré, S., see Terasmaa, A., 135
Finnman, U.-B., see Terasmaa, A., 135
Fromy, B., see Merzeau, S., 103
Frugière, A., see Bodineau, L., 111
Fua, Q., see Kamiya, A., 49
Fukushima, T., see Hashimoto, I., 25
Fukuyama, H., see Katsumi, Y., 9
Funakoshi, K., Kadota, T., Atobe, Y., Nakano, M., Goris, R.C., Kishida, R., Serotonin-immunoreactive axons in the cell column of sympathetic

PII: S0304-3940(00)00870-3

preganglionic neurons in the spinal cord of the filefish *Stephanolepis cirrhifer*, 115
Fuxe, K., see Terasmaa, A., 135

Ghorbel, M.T., see Hadj-Sahraoui, N., 79
Giannaccini, G., Betti, L., Martini, C., Bistocchi, M., Mascia, G., Piccolino, M., Lucacchini, A., Autoradiographic distribution of peripheral benzodiazepine receptors in the retina of the albino rabbit, *Lepus cunicula*, 37
Glass, J.D., Shen, H., Fedorkova, L., Chen, L., Tomasiewicz, H., Watanabe, M., Polysialylated neural cell adhesion molecule modulates photic signaling in the mouse suprachiasmatic nucleus, 207
Gold, M., see Crawford, F., 215
Goris, R.C., see Funakoshi, K., 115
Guastavino, J.-M., see Michel, V., 1

Hadj-Sahraoui, N., Seugnet, I., Ghorbel, M.T., Demeneix, B., Hypothyroidism prolongs mitotic activity in the post-natal mouse brain, 79
Hao, J.-X., Xu, X.-J., Urban, L., Wiesenfeld-Hallin, Z., Repeated administration of systemic gabapentin alleviates allodynia-like behaviors in spinally injured rats, 211
Hara, A., Niwa, M., Iwai, T., Yano, H., Bunai, Y., Uematsu, T., Yoshimi, N., Mori, H., Increase of fragmented DNA transport in apical dendrites of gerbil CA1 pyramidal neurons following transient forebrain ischemia by mild hypothermia, 73
Hashimoto, I., Kimura, T., Sakuma, K., Iguchi, Y., Saito, Y., Terasaki, O., Fukushima, T., Dynamic mediolateral activation of the pyramidal cell population in human somatosensory 3b area can be visualized by magnetic recordings, 25
Hayashi, T., see Katsumi, Y., 9
Heinze, H.-J., see Tendolkar, I., 69
Hermans, E., see d'Alfonso, A.A.L., 195
Hess, A., Bloch, W., Wittekindt, C., Siodladczek, J., Addicks, K., Michel, O., Immunohistochemical detection of vascular endothelial growth factor (VEGF) and VEGF-receptors Flt-1 and KDR/Flk-1 in the vestibule of guinea pigs, 147
Hinrichs, H., see Tendolkar, I., 69
Hori, T., Abe, S., Baba, A., Suzuki, T., Shiraishi, H., Effects of repeated phencyclidine treatment on serotonin transporter in rat brain, 53

Iguchi, Y., see Hashimoto, I., 25
Ikeda, M., see Ebisawa, T., 29
Ikeda, T., see Xia, Y.X., 220
Ikenoue, T., see Xia, Y.X., 220
Illnerová, H., see Jelínková, D., 143
Im, W.B., see Alberts, G.L., 223
Iwai, T., see Hara, A., 73
Iwase, S., see Kamiya, A., 49
Iwase, T., see Ebisawa, T., 29

Jelínková, D., Illnerová, H., Sumová, A., Gate for photic resetting of intrinsic rhythmicity of the rat suprachiasmatic nucleus under a long photoperiod, 143
Jodoi, T., see Ebisawa, T., 29
Johnson, S.M., see Bywood, P.T., 5

Kadota, T., see Funakoshi, K., 115
Kajimura, N., see Ebisawa, T., 29
Kamei, Y., see Ebisawa, T., 29
Kamiya, A., Iwase, S., Michikamia, D., Fua, Q., Mano, T., Muscle sympathetic nerve activity during handgrip and post-handgrip muscle ischemia after exposure to simulated microgravity in humans, 49
Katoh, A., see Kitazawa, H., 179
Katoh, M., see Ebisawa, T., 29
Katsumi, Y., Hayashi, T., Oyanagi, C., Nagahama, Y., Yamauchi, H., Ono, S., Fukuyama, H., Shibasaki, H., Glucose metabolism in the rat frontal cortex recovered without the recovery of choline acetyltransferase activity after lesioning of the nucleus basalis magnocellularis, 9
Keast, J.R., see Kepper, M.E., 123
Kemna, L.J., see Mottaghy, F.M., 167
Keniston, L., see Mao, J., 13
Kepper, M.E., Keast, J.R., Transmitter profile and spinal inputs of pelvic ganglion cells projecting with preganglionic axons along the hypogastric and pelvic nerves of the male rat, 123
Kerwin,. R.W., see Bolonna, A.A., 65
Kim, K., see Ebisawa, T., 29
Kim, K., see Liu, X., 199
Kimura, T., see Hashimoto, I., 25
Kishida, R., see Funakoshi, K., 115
Kitazawa, H., Katoh, A., Yagi, T., Nagao, S., Dynamic characteristics and adaptability of reflex eye movements of Fyn-kinase-deficient mice, 179
Kline, A.E., Yan, H.Q., Bao, J., Marion, D.W., Dixon, C.E., Chronic methylphenidate treatment enhances water maze performance following traumatic brain injury in rats, 163
Koivisto, K., see Tapiola, T., 119
Krause, B.J., see Mottaghy, F.M., 167
Kropotov, J.D., Alho, K., Näätänen, R., Ponomarev, V.A., Kropotova, O.V., Anichkov, A.D., Nechaev, V.B., Human auditory-cortex mechanisms of preattentive sound discrimination, 87
Kropotova, O.V., see Kropotov, J.D., 87
Kuba, K., see Liu, C., 57
Kudo, N., see Nishimaru, H., 187
Kudo, Y., see Ebisawa, T., 29
Kudo, Y., see Liu, X., 199

Lai, S.-C., Lui, P.-W., Inhibition by neuropeptide Y of fentanyl-induced muscular rigidity at the locus coeruleus in rats, 203
Lalonde, R., see Reader, T.A., 171
Lalouschek, W., see Dirnberger, G., 61
Lang, W., see Dirnberger, G., 61
Laube, B., see Wittekindt, B., 151
Le Marec, N., see Reader, T.A., 171
Lefthériotis, G., see Merzeau, S., 103
Lindinger, G., see Dirnberger, G., 61
Liu, C., Shirasaki, T., Tanaka, S., Kuba, K., Activity-dependent enhancement of miniature excitatory postsynaptic current amplitude and its modulation by protein kinase C in cultured rat sympathetic neurons, 57
Liu, X., Uchiyama, M., Shibui, K., Kim, K., Kudo, Y., Tagaya, H., Suzuki, H., Okawa, M., Diurnal preference, sleep habits, circadian sleep propensity and melatonin rhythm in healthy human subjects, 199
Lu, J., see Mao, J., 13
Lucacchini, A., see Giannaccini, G., 37
Lui, P.-W., see Lai, S.-C., 203

Mano, T., see Kamiya, A., 49
Mao, J., Price, D.D., Lu, J., Keniston, L., Mayer, D.J., Two distinctive antinociceptive systems in rats with pathological pain, 13
Marion, D.W., see Kline, A.E., 163
Marlot, D., see Bodineau, L., 111
Martinez, M., see Bolonna, A.A., 65

Martini, C., see Giannaccini, G., 37
Mascia, G., see Giannaccini, G., 37
Math, F., see Michel, V., 1
Mayer, D.J., see Mao, J., 13
Mehta, P.D., see Tapiola, T., 119
Meinck, H.-M., see Wagner, S., 127
Merzeau, S., Preckel, M.-P., Fromy, B., Lefthériotis, G., Saumet, J.L., Differences between cerebral and cerebellar autoregulation during progressive hypotension in rats, 103
Michel, O., see Hess, A., 147
Michel, V., Monnier, Z., Guastavino, J.-M., Propper, A., Math, F., Functional alterations in the olfactory bulb of the *staggerer* mutant mouse, 1
Michikamia, D., see Kamiya, A., 49
Mieske, C.A., see Dooley, D.J., 107
Mikkonen, M., see Tapiola, T., 119
Monnier, Z., see Michel, V., 1
Mori, H., see Hara, A., 73
Mottaghy, F.M., Krause, B.J., Kemna, L.J., Töpper, R., Tellmann, L., Beu, M., Pascual-Leone, A., Müller-Gärtner H.-W., Modulation of the neuronal circuitry subserving working memory in healthy human subjects by repetitive transcranial magnetic stimulation, 167
Mullan, M., see Crawford, F., 215
Müller-Gärtner H.-W., see Mottaghy, F.M., 167
Munro, J., see Bolonna, A.A., 65

Näätänen, R., see Kropotov, J.D., 87
Nagahama, Y., see Katsumi, Y., 9
Nagao, S., see Kitazawa, H., 179
Nakano, M., see Funakoshi, K., 115
Nechaev, V.B., see Kropotov, J.D., 87
Nishimaru, H., Takizawa, H., Kudo, N., 5-Hydroxytryptamine-induced locomotor rhythm in the neonatal mouse spinal cord in vitro, 187
Niwa, M., see Hara, A., 73
Nordlind, K., Eriksson, L., Seiger, Å., Bakhiet, M., Expression of interleukin-6 in human dorsal root ganglion cells, 139

Okawa, M., see Ebisawa, T., 29
Okawa, M., see Liu, X., 199
Ono, S., see Katsumi, Y., 9
Osborne, S., see Bolonna, A.A., 65
Owman, C., see Terasmaa, A., 135
Oyanagi, C., see Katsumi, Y., 9
Ozeki, Y., see Ebisawa, T., 29

Pascual-Leone, A., see Mottaghy, F.M., 167
Petouni, M., see Bolonna, A.A., 65
Piccolino, M., see Giannaccini, G., 37
Pirttilä, T., see Tapiola, T., 119
Ponomarev, V.A., see Kropotov, J.D., 87
Popper, P., see Wackym, P.A., 159
Postma, A., see d'Alfonso, A.A.L., 195
Poulos, S.G., Borlongan, C.V., Artificial lighting conditions and melatonin alter motor performance in adult rats, 33
Pow, D.V., Barnett, N.L., Developmental expression of excitatory amino acid transporter 5: a photoreceptor and bipolar cell glutamate transporter in rat retina, 21
Preckel, M.-P., see Merzeau, S., 103
Pregenzer, J.F., see Alberts, G.L., 223
Price, D.D., see Mao, J., 13
Propper, A., see Michel, V., 1

Reader, T.A., Ase, A.R., Le Marec, N., Lalonde, R., Differential effects of L-trytophan and buspirone on biogenic amine contents and metabolism in *Lurcher* mice cerebellum, 171
Rebec, G.V., see Christensen, J.C., 191
Rinken, A., see Terasmaa, A., 135
Rugg, M., see Tendolkar, I., 69

Sacchetti, B., see Baldi, E., 91
Saito, Y., see Hashimoto, I., 25
Sakuma, K., see Hashimoto, I., 25
Saumet, J.L., see Merzeau, S., 103
Schenberg, L.C., see Vargas, L.C., 45
Schinka, J., see Crawford, F., 215
Scholz, M., see Tendolkar, I., 69
Seaman, R.L., Effects of acute systemic 3-nitropropionic acid administration on rat activity and acoustic startle, 183
Seiger, Å., see Nordlind, K., 139
Sekimoto, M., see Ebisawa, T., 29
Seugnet, I., see Hadj-Sahraoui, N., 79
Shen, H., see Glass, J.D., 207
Shibasaki, H., see Katsumi, Y., 9
Shibui, K., see Ebisawa, T., 29
Shibui, K., see Liu, X., 199
Shiraishi, H., see Hori, T., 53
Shirasaki, T., see Liu, C., 57
Shuvaev, V.V., Siest, G., Heparin specifically inhibits binding of apolipoprotein E to amyloid β-peptide, 131
Siest, G., see Shuvaev, V.V., 131
Siodladczek, J., see Hess, A., 147
Slightom, J.L., see Alberts, G.L., 223
Smirnova, T., see Anguelova, E., 99
Soininen, H., see Tapiola, T., 119
Sugishita, M., see Ebisawa, T., 29
Sultan, F., Exploring a critical parameter of timing in the mouse cerebellar microcircuitry: the parallel fiber diameter, 41
Sumová, A., see Jelínková, D., 143
Suo, Z., see Crawford, F., 215
Suzuki, H., see Liu, X., 199
Suzuki, T., see Hori, T., 53

Töpper, R., see Mottaghy, F.M., 167
Tagaya, H., see Liu, X., 199
Takahashi, K., see Ebisawa, T., 29
Takizawa, H., see Nishimaru, H., 187
Tanaka, S., see Liu, C., 57
Tapiola, T., Pirttilä, T., Mikkonen, M., Mehta, P.D., Alafuzoff, I., Koivisto, K., Soininen, H., Three-year follow-up of cerebrospinal fluid tau, β-amyloid 42 and 40 concentrations in Alzheimer's disease, 119
Tassoni, G., see Baldi, E., 91
Tellmann, L., see Mottaghy, F.M., 167
Tendolkar, I., Rugg, M., Fell, J., Vogt, H., Scholz, M., Hinrichs, H., Heinze, H.-J., A magnetoencephalographic study of brain activity related to recognition memory in healthy young human subjects, 69
Terasaki, O., see Hashimoto, I., 25
Terasmaa, A., Finnman, U.-B., Owman, C., Ferré, S., Fuxe, K., Rinken, A., Modulation of [^{35}S]GTPγS binding to Chinese hamster ovary cell membranes by $D_{2(short)}$ dopamine receptors, 135
Thoreson, W.B., Dihydropyridine-sensitive calcium currents in bipolar cells of salamander retina are inhibited by reductions in extracellular chloride, 155

Tomasiewicz, H., see Glass, J.D., 207
Toyoshima, R., see Ebisawa, T., 29
Troyanovskaya, M., see Wackym, P.A., 159

Uchiyama, M., see Ebisawa, T., 29
Uchiyama, M., see Liu, X., 199
Uematsu, T., see Hara, A., 73
Uittenbogaard, M., Chiaramello, A., Differential expression patterns of the basic Helix-Loop-Helix transcription factors during aging of the murine brain, 95
Urban, L., see Hao, J.-X., 211

van Honk, J., see d'Alfonso, A.A.L., 195
Vargas, L.C., de Azevedo Marques, T., Schenberg, L.C., Micturition and defensive behaviors are controlled by distinct neural networks within the dorsal periaqueductal gray and deep gray layer of the superior colliculus of the rat, 45
Vogt, H., see Tendolkar, I., 69
von Waldenfels, A., see Wagner, S., 127

Wackym, P.A., Troyanovskaya, M., Popper, P., Partial cDNAs encoding G-protein α subunits in the rat vestibular periphery, 159
Wagner, S., von Waldenfels, A., Meinck, H.-M., Gating of segmental and transcortical reflexes to human hand muscles depends on the mode of innervation, 127
Wallois, F., see Bodineau, L., 111
Wang, S.-Z., see Yan, R.-T., 83
Wang, Z., see Christensen, J.C., 191
Watanabe, M., see Glass, J.D., 207
Watanabe, T., see Ebisawa, T., 29
Wiesenfeld-Hallin, Z., see Hao, J.-X., 211
Wittekindt, B., Betz, H., Laube, B., Subunit-dependent inhibition of recombinant rodent *N*-methyl-D-aspartate receptors by a HIV-1 glycoprotein 120 derived peptide, 151
Wittekindt, C., see Hess, A., 147

Xia, X.Y., see Xia, Y.X., 220
Xia, Y.X., Ikeda, T., Xia, X.Y., Ikenoue, T., Differential neurotrophin levels in cerebrospinal fluid and their changes during development in newborn rat, 220
Xu, X.-J., see Hao, J.-X., 211

Yagi, T., see Kitazawa, H., 179
Yamada, N., see Ebisawa, T., 29
Yamauchi, H., see Katsumi, Y., 9
Yamauchi, T., see Ebisawa, T., 29
Yan, H.Q., see Kline, A.E., 163
Yan, R.-T., Wang, S.-Z., Expression of an array of photoreceptor genes in chick embryonic retinal pigment epithelium cell cultures under the induction of *neuroD*, 83
Yano, H., see Hara, A., 73
Yoshimi, N., see Hara, A., 73